


60 SERIES CHANNEL BALANCES



General Information

- Sash weights indicated below are weights that 2 balances per sash will carry with no weather-strip friction considered.
- Balances stamped with a 3-digit number (e.g. 122, 183, 143) or a 2-digit number (e.g. 15, 18, 19) will require you to contact your account manager for more information; such as exact channel length, type of ends attached, etc.
- Any other number/letter variations should also be reviewed with your account manager to ensure your order will be filled correctly.
- If your existing balance has a "BSI" stamped on the face of the balance by the 4 digit number, order exactly as seen on this chart.
- If your existing balance does not have BSI stamped on it and your balance's 4 digit number has a 40 suffix (e.g. 2840, 2940, 3040, 3640 etc.), you have the old style balance and for 29" balances and above -order 2850, 2950, 3050, 3650, etc. If you are unsure, weigh your sash and choose from the weight charts indicated below.
- For sash weights over those indicated on chart below, please provide the following information:
 - Number stamped on balance _____
 - Balance length (do not include ends) _____
 - Sash weight _____
 - Upper or lower sash _____
 - 2 or 4 balances per sash _____

Note: Special weight balances were usually stamped with a 4 digit number followed by a two digit number to designate specific weight (e.g. 2640 42 or 2690 42 indicates (2) 27" balances carrying 42 lb. sash.

Ordering Information

- Measure metal channel balance length. (Do not include plastic ends.)
 - Check number stamped on channel. (e.g. 2010, 28A, 3620 etc.)
 - Select our corresponding part number from the chart below.
 - To identify the top and bottom ends to be attached, refer to pages 15-18.
- Note: Top and bottom balance ends must be ordered separately. If you want ends attached, add the letter "A" to the suffix of the part number when ordering. If you find the ends you need and they are located with the popular combinations, look for the suffix number and just add that suffix number to the end of the balance part number you selected (e.g. balance 60-242 with ends 60-507 and 60-501 add the suffix -1 so the final part number is 60-242-1).

Please Note (Important New Information)

Due to increased demand for larger and heavier windows, manufacturers have increased the weight capacity of balances as indicated by our expanded chart. Previously, balances beyond the traditional weight ranges were made for a specific length, weight and often required limited travel and needed to specify upper and lower sash. The examples below show the versatility of the new weight ranges and allow us to inventory these balances to cover a broader range of windows

Examples: Old Number 60-26S42L (27" 42lb - Lower Sash) New Number 60-2680 (27" 42-45lb)
 60-26S42U (27" 42lb - Upper Sash)
 60-26S44L (27" 44lb. - Lower Sash)
 60-26S44U (27" 44lb. - Upper Sash)

All balances listed in this chart no longer need to designate upper or lower and they all have full travel. Balances with weights and lengths above those listed on the chart will require sash weight and upper or lower designation and will have limited travel

Example: 27" Channel balance for 49 lb. sash
 60-26S49 (for lower sash)
 60-26S49U (for upper sash)

For weights above those listed in this chart, see next page.

Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number
13"	1210	3-6 lbs	60-121	17"	1660	22-25 lbs	60-1660	21"	2020	8-12 lbs	60-202	24"	2370	34-37 lbs	60-2370
13"	1220	6-9 lbs	60-122	17"	1665	25-29 lbs	60-1665	21"	2030	12-15 lbs	60-203	24"	2375	37-40 lbs	60-2375
13"	1230	9-11 lbs	60-123	18"	1710	5-8 lbs	60-171	21"	2040	15-23 lbs	60-204	25"	2410	5-9 lbs	60-241
13"	1240	11-12 lbs	60-124	18"	1720	8-12 lbs	60-172	21"	2050	23-27 lbs	60-2050	25"	2420	9-15 lbs	60-242
13"	1250	12-15 lbs	60-1250	18"	1730	12-14 lbs	60-173	21"	2060	27-30 lbs	60-2060	25"	2430	15-19 lbs	60-243
13"	1260	15-18 lbs	60-1260	18"	1740	14-17 lbs	60-174	21"	2065	30-34 lbs	60-2065	25"	2440	19-24 lbs	60-244
14"	1310	3-6 lbs	60-131	18"	1750	17-20 lbs	60-1750	21"	2070	34-37 lbs	60-2070	25"	2450	24-27 lbs	60-2450
14"	1320	6-9 lbs	60-132	18"	1760	20-23 lbs	60-1760	21"	2075	37-40 lbs	60-2075	25"	2460	27-30 lbs	60-2460
14"	1330	9-11 lbs	60-133	18"	1765	23-25 lbs	60-1765	22"	2110	5-8 lbs	60-211	25"	2465	30-33 lbs	60-2465
14"	1340	11-12 lbs	60-134	18"	1770	25-29 lbs	60-1770	22"	2120	8-12 lbs	60-212	25"	2470	33-36 lbs	60-2470
14"	1350	12-15 lbs	60-1350	18"	1775	29-32 lbs	60-1775	22"	2130	12-15 lbs	60-213	25"	2475	36-39 lbs	60-2475
14"	1360	15-18 lbs	60-1360	19"	1810	5-8 lbs	60-181	22"	2140	15-23 lbs	60-214	25"	2480	39-42 lbs	60-2480
14"	1365	18-20 lbs	60-1365	19"	1820	8-12 lbs	60-182	22"	2150	23-27 lbs	60-2150	25"	2485	42-45 lbs	60-2485
15"	1410	4-6 lbs	60-141	19"	1830	12-14 lbs	60-183	22"	2160	27-30 lbs	60-2160	26"	2510	5-9 lbs	60-251
15"	1420	6-10 lbs	60-142	19"	1840	14-17 lbs	60-184	22"	2165	30-34 lbs	60-2165	26"	2520	9-15 lbs	60-252
15"	1430	10-12 lbs	60-143	19"	1850	17-20 lbs	60-1850	22"	2170	34-37 lbs	60-2170	26"	2530	15-19 lbs	60-253
15"	1440	12-13 lbs	60-144	19"	1860	20-23 lbs	60-1860	22"	2175	37-40 lbs	60-2175	26"	2540	19-25 lbs	60-254
15"	1450	13-17 lbs	60-1450	19"	1865	23-25 lbs	60-1865	23"	2210	5-8 lbs	60-221	26"	2550	25-28 lbs	60-2550
15"	1460	17-20 lbs	60-1460	19"	1870	25-29 lbs	60-1870	23"	2220	8-12 lbs	60-222	26"	2560	28-30 lbs	60-2560
15"	1465	20-23 lbs	60-1465	19"	1875	29-32 lbs	60-1875	23"	2230	12-19 lbs	60-223	26"	2565	30-33 lbs	60-2565
16"	1510	4-6 lbs	60-151	19"	1880	32-35 lbs	60-1880	23"	2240	19-23 lbs	60-224	26"	2570	33-36 lbs	60-2570
16"	1520	6-10 lbs	60-152	20"	1910	5-8 lbs	60-191	23"	2250	23-27 lbs	60-2250	26"	2575	36-39 lbs	60-2575
16"	1530	10-12 lbs	60-153	20"	1920	8-12 lbs	60-192	23"	2260	27-30 lbs	60-2260	26"	2580	39-42 lbs	60-2580
16"	1540	12-13 lbs	60-154	20"	1930	12-14 lbs	60-193	23"	2265	30-34 lbs	60-2265	26"	2585	42-45 lbs	60-2585
16"	1550	13-17 lbs	60-1550	20"	1940	14-17 lbs	60-194	23"	2270	34-37 lbs	60-2270	27"	2610	5-9 lbs	60-261
16"	1560	17-20 lbs	60-1560	20"	1950	17-21 lbs	60-1950	23"	2275	37-40 lbs	60-2275	27"	2620	9-13 lbs	60-262
16"	1565	20-23 lbs	60-1565	20"	1960	21-24 lbs	60-1960	24"	2310	5-8 lbs	60-231	27"	2630	13-19 lbs	60-263
16"	1570	23-26 lbs	60-1570	20"	1965	24-27 lbs	60-1965	24"	2320	9-15 lbs	60-232	27"	2640	19-26 lbs	60-264
17"	1610	5-8 lbs	60-161	20"	1970	27-30 lbs	60-1970	24"	2330	15-18 lbs	60-233	27"	2650	26-30 lbs	60-2650
17"	1620	8-12 lbs	60-162	20"	1975	30-34 lbs	60-1975	24"	2340	18-23 lbs	60-234	27"	2660	30-33 lbs	60-2660
17"	1630	12-14 lbs	60-163	20"	1980	34-37 lbs	60-1980	24"	2350	23-27 lbs	60-2350	27"	2665	33-36 lbs	60-2665
17"	1640	14-19 lbs	60-164	20"	1985	37-40 lbs	60-1985	24"	2360	27-30 lbs	60-2360	27"	2670	36-39 lbs	60-2670
17"	1650	19-22 lbs	60-1650	21"	2010	5-8 lbs	60-201	24"	2365	30-34 lbs	60-2365	27"	2675	39-42 lbs	60-2675

Continued on next page


60 SERIES CHANNEL BALANCES

Continued from previous page


Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number	Length of Metal Channel	Number Stamped on Balance	Sash Weight	Our Part Number
27"	2680	42-45 lbs	60-2680	34"	3370	39-42 lbs	60-3370	42"	4160	35-39 lbs	60-4160	50"	4950	30-35 lbs	60-4950
28"	2710	5-9 lbs	60-271	34"	3375	42-45 lbs	60-3375	42"	4165	39-42 lbs	60-4165	50"	4960	35-39 lbs	60-4960
28"	2720	9-13 lbs	60-272	35"	3410	8-13 lbs	60-341	42"	4170	42-45 lbs	60-4170	50"	4965	39-42 lbs	60-4965
28"	2730	13-19 lbs	60-273	35"	3420	13-18 lbs	60-342	43"	4210	9-14 lbs	60-421	50"	4970	42-45 lbs	60-4970
28"	2740	19-26 lbs	60-274	35"	3430	18-23 lbs	60-343	43"	4220	14-19 lbs	60-422	51"	5010	4-14 lbs	60-5010
28"	2750	26-30 lbs	60-2750	35"	3440	23-30 lbs	60-344	43"	4230	19-24 lbs	60-423	51"	5020	14-19 lbs	60-5020
28"	2760	30-33 lbs	60-2760	35"	3450	30-34 lbs	60-3450	43"	4240	24-30 lbs	60-424	51"	5030	19-25 lbs	60-5030
28"	2765	33-36 lbs	60-2765	35"	3460	34-39 lbs	60-3460	43"	4250	30-35 lbs	60-4250	51"	5040	25-32 lbs	60-5040
28"	2770	36-39 lbs	60-2770	35"	3465	39-42 lbs	60-3465	43"	4260	35-39 lbs	60-4260	51"	5050	32-35 lbs	60-5050
28"	2775	39-42 lbs	60-2775	35"	3470	42-45 lbs	60-3470	43"	4265	39-42 lbs	60-4265	51"	5060	35-39 lbs	60-5060
28"	2780	42-45 lbs	60-2780	36"	3510	8-13 lbs	60-351	43"	4270	42-45 lbs	60-4270	51"	5065	39-42 lbs	60-5065
29"	2810	7-12 lbs	60-281	36"	3520	13-18 lbs	60-352	44"	4310	9-14 lbs	60-431	51"	5070	42-45 lbs	60-5070
29"	2820	12-16 lbs	60-282	36"	3530	18-23 lbs	60-353	44"	4320	14-19 lbs	60-432	52"	5110	4-14 lbs	60-5110
29"	2830	16-23 lbs	60-283	36"	3540	23-30 lbs	60-354	44"	4330	19-24 lbs	60-433	52"	5120	14-19 lbs	60-5120
29"	2840	23-28 lbs	60-284	36"	3550	30-35 lbs	60-3550	44"	4340	24-30 lbs	60-434	52"	5130	19-25 lbs	60-5130
29"	2850	28-32 lbs	60-2850	36"	3560	35-39 lbs	60-3560	44"	4350	30-35 lbs	60-4350	52"	5140	25-32 lbs	60-5140
29"	2860	32-35 lbs	60-2860	36"	3565	39-42 lbs	60-3565	44"	4360	35-39 lbs	60-4360	52"	5150	32-35 lbs	60-5150
29"	2865	35-39 lbs	60-2865	36"	3570	42-45 lbs	60-3570	44"	4365	39-42 lbs	60-4365	52"	5160	35-39 lbs	60-5160
29"	2870	39-42 lbs	60-2870	37"	3610	8-13 lbs	60-361	44"	4370	42-45 lbs	60-4370	52"	5165	39-42 lbs	60-5165
29"	2875	42-45 lbs	60-2875	37"	3620	13-18 lbs	60-362	45"	4410	9-14 lbs	60-441	52"	5170	42-45 lbs	60-5170
30"	2910	7-12 lbs	60-291	37"	3630	18-23 lbs	60-363	45"	4420	14-19 lbs	60-442	53"	5210	4-14 lbs	60-5210
30"	2920	12-16 lbs	60-292	37"	3640	23-30 lbs	60-364	45"	4430	19-24 lbs	60-443	53"	5220	14-19 lbs	60-5220
30"	2930	16-23 lbs	60-293	37"	3650	30-35 lbs	60-3650	45"	4440	24-30 lbs	60-444	53"	5230	19-25 lbs	60-5230
30"	2940	23-28 lbs	60-294	37"	3660	35-39 lbs	60-3660	45"	4450	30-35 lbs	60-4450	53"	5240	25-32 lbs	60-5240
30"	2950	28-32 lbs	60-2950	37"	3665	39-42 lbs	60-3665	45"	4460	35-39 lbs	60-4460	53"	5250	32-35 lbs	60-5250
30"	2960	32-35 lbs	60-2960	37"	3670	42-45 lbs	60-3670	45"	4465	39-42 lbs	60-4465	53"	5260	35-39 lbs	60-5260
30"	2965	35-39 lbs	60-2965	38"	3710	8-13 lbs	60-371	45"	4470	42-45 lbs	60-4470	53"	5265	39-42 lbs	60-5265
30"	2970	39-42 lbs	60-2970	38"	3720	13-18 lbs	60-372	46"	4510	9-14 lbs	60-451	53"	5270	42-45 lbs	60-5270
30"	2975	42-45 lbs	60-2975	38"	3730	18-23 lbs	60-373	46"	4520	14-19 lbs	60-452	54"	5310	4-14 lbs	60-5310
31"	3010	7-12 lbs	60-301	38"	3740	23-30 lbs	60-374	46"	4530	19-24 lbs	60-453	54"	5320	14-19 lbs	60-5320
31"	3020	12-16 lbs	60-302	38"	3750	30-35 lbs	60-3750	46"	4540	24-30 lbs	60-454	54"	5330	19-25 lbs	60-5330
31"	3030	16-23 lbs	60-303	38"	3760	35-39 lbs	60-3760	46"	4550	30-35 lbs	60-4550	54"	5340	25-32 lbs	60-5340
31"	3040	23-28 lbs	60-304	38"	3765	39-42 lbs	60-3765	46"	4560	35-39 lbs	60-4560	54"	5350	32-35 lbs	60-5350
31"	3050	28-32 lbs	60-3050	38"	3770	42-45 lbs	60-3770	46"	4565	39-42 lbs	60-4565	54"	5360	35-39 lbs	60-5360
31"	3060	32-35 lbs	60-3060	39"	3810	9-14 lbs	60-381	46"	4570	42-45 lbs	60-4570	54"	5365	39-42 lbs	60-5365
31"	3065	35-39 lbs	60-3065	39"	3820	14-19 lbs	60-382	47"	4610	9-14 lbs	60-461	54"	5370	42-45 lbs	60-5370
31"	3070	39-42 lbs	60-3070	39"	3830	19-24 lbs	60-383	47"	4620	14-19 lbs	60-462				
31"	3075	42-45 lbs	60-3075	39"	3840	24-30 lbs	60-384	47"	4630	19-24 lbs	60-463				
32"	3110	7-12 lbs	60-311	39"	3850	30-35 lbs	60-3850	47"	4640	24-30 lbs	60-464				
32"	3120	12-16 lbs	60-312	39"	3860	35-39 lbs	60-3860	47"	4650	30-35 lbs	60-4650				
32"	3130	16-23 lbs	60-313	39"	3865	39-42 lbs	60-3865	47"	4660	35-39 lbs	60-4660				
32"	3140	23-28 lbs	60-314	39"	3870	42-45 lbs	60-3870	47"	4665	39-42 lbs	60-4665				
32"	3150	28-32 lbs	60-3150	40"	3910	9-14 lbs	60-391	47"	4670	42-45 lbs	60-4670				
32"	3160	32-35 lbs	60-3160	40"	3920	14-19 lbs	60-392	48"	4710	9-14 lbs	60-471				
32"	3165	35-39 lbs	60-3165	40"	3930	19-24 lbs	60-393	48"	4720	14-19 lbs	60-472				
32"	3170	39-42 lbs	60-3170	40"	3940	24-30 lbs	60-394	48"	4730	19-24 lbs	60-473				
32"	3175	42-45 lbs	60-3175	40"	3950	30-35 lbs	60-3950	48"	4740	24-30 lbs	60-474				
33"	3210	8-13 lbs	60-321	40"	3960	35-39 lbs	60-3960	48"	4750	30-35 lbs	60-4750				
33"	3220	13-18 lbs	60-322	40"	3965	39-42 lbs	60-3965	48"	4760	35-39 lbs	60-4760				
33"	3230	18-23 lbs	60-323	40"	3970	42-45 lbs	60-3970	48"	4765	39-42 lbs	60-4765				
33"	3240	23-28 lbs	60-324	41"	4010	9-14 lbs	60-401	48"	4770	42-45 lbs	60-4770				
33"	3250	28-32 lbs	60-3250	41"	4020	14-19 lbs	60-402	49"	4810	9-14 lbs	60-481				
33"	3260	32-35 lbs	60-3260	41"	4030	19-23 lbs	60-403	49"	4820	14-19 lbs	60-482				
33"	3265	35-39 lbs	60-3265	41"	4040	23-30 lbs	60-404	49"	4830	19-24 lbs	60-483				
33"	3270	39-42 lbs	60-3270	41"	4050	30-35 lbs	60-4050	49"	4840	24-32 lbs	60-484				
33"	3275	42-45 lbs	60-3275	41"	4060	35-39 lbs	60-4060	49"	4850	30-35 lbs	60-4850				
34"	3310	8-13 lbs	60-331	41"	4065	39-42 lbs	60-4065	49"	4860	35-39 lbs	60-4860				
34"	3320	13-18 lbs	60-332	41"	4070	42-45 lbs	60-4070	49"	4865	39-42 lbs	60-4865				
34"	3330	18-23 lbs	60-333	42"	4110	9-14 lbs	60-411	49"	4870	42-45 lbs	60-4870				
34"	3340	23-28 lbs	60-334	42"	4120	14-19 lbs	60-412	50"	4910	9-14 lbs	60-491				
34"	3350	28-32 lbs	60-3350	42"	4130	19-24 lbs	60-413	50"	4920	14-19 lbs	60-492				
34"	3360	32-35 lbs	60-3360	42"	4140	24-30 lbs	60-414	50"	4930	19-24 lbs	60-493				
34"	3365	35-39 lbs	60-3365	42"	4150	30-35 lbs	60-4150	50"	4940	24-32 lbs	60-494				

60 SERIES BALANCE ACCESSORIES

60 SERIES MOST POPULAR COMBINATIONS




60-507
Top




60-501
Bottom

SEASONSHIELD/ALENCO




60-508
Top




60-503
Bottom

CROSS EASTERN/PENCO/MILLER/REMINGTON




60-595
Top




60-596
Bottom

PAN AM




60-508
Top




60-5011
Bottom

MILESTONE/FL EXTRUDERS




60-507
Top




60-500
Bottom

OLD KINCO/HARCAR/NUAIR/SUNSHINE/EFCO




60-936
Top



60-500
Bottom

YALE OGRON




60-506
Top


Suffix -6

60-500
Bottom

CAPITOL




60-508
Top



60-516
Bottom

Suffix -8




60-508
Top

Suffix -27

60-943
Bottom


ALCAN

60 SERIES OTHER COMBINATIONS




60-508
Top

Suffix -40




60-904
Bottom




60-507
Top

Suffix -2




60-502
Bottom

NORANDEX




60-510
Top

Suffix -4



60-504
Bottom

CROSSLY 700 SERIES




60-509
Top

Suffix -5


60-500
Bottom

WT INDUSTRIES (REPLACEMENT)




60-560
Top

Suffix -7




60-561
Bottom

ACORN



60-907
Top

Suffix -9




60-908
Bottom

AMERICAN CRAFTSMAN/SILVER LINE


60 SERIES BALANCE ACCESSORIES

60 SERIES OTHER COMBINATIONS




60-916
Top

Suffix
-11




60-915
Bottom

CAPITOL/MILLER




60-569
Top

Suffix
-12




60-516
Bottom

ROLLYSON




60-569
Top

Suffix
-12R




60-503
Bottom

ROLLYSON



60-513
Top


Suffix
-13



60-505


Bottom. Must be installed with screw 20-046 at time of installation.

GTO 4 WINDOWS/GENERAL BRONZE




60-575
Top

Suffix
-14




60-503
Bottom




60-507
Top

Suffix
-15




60-587
Bottom

KINCO/DIXIE/CLEARVIEW/SEASONALL




60-508
Top

Suffix
-16




60-598
Bottom




60-507
Top

Suffix
-17




60-597
Bottom

ESP




60-507
Top

Suffix
-18




60-598
Bottom

FIBERLUX/BELLVIEW




60-509
Top

Suffix
-19




60-576
Bottom

WT INDUSTRIES (ORIGINAL VERSION)




60-508
Top

Suffix
-20




60-500
Bottom

CE ANDERSON/ALENCO/MILLER




60-508
Top

Suffix
-21




60-501
Bottom

PGT/VINYLTEC




60-507
Top

Suffix
-23




60-987
Bottom

ALCOA




60-901
Top

Suffix
-24




60-902
Bottom

CROSSLY 780 SERIES



900-10269
Top

Suffix
-25




60-598
Bottom

BELLVIEW


60 SERIES BALANCE ACCESSORIES

60 SERIES OTHER COMBINATIONS




60-508
Top

Suffix
-26




60-980
Bottom




60-575
Top

Suffix
-29




60-576
Bottom

PAN AM




60-919
Top

Suffix
-30




60-500
Bottom

NEW SECURITY




60-919
Top

Suffix
-31




60-904
Bottom

OLD SECURITY




60-919
Top

Suffix
-31R




60-980
Bottom




60-903
Top

Suffix
-32




60-904
Bottom

ROLLYSON ORIGINAL




60-903
Top

Suffix
-32R




60-503
Bottom

ROLLYSON




60-563
Top

Suffix
-33




60-564
Bottom

JONES




60-563
Top

Suffix
-33R




60-500
Bottom

JONES/OLD SECURITY




60-905
Top

Suffix
-34




60-904
Bottom

NEW SECURITY




60-905
Top

Suffix
-34R




60-980
Bottom

SECURITY/TRACO




60-933
Top

Suffix
-37




60-904
Bottom

ROLLYSON/AMERICAN ORIGINAL




60-933
Top

Suffix
-37R




60-503
Bottom

AMERICAN WINDOW




60-507
Top

Suffix
39




60-944
Bottom



60-506
Top

Suffix
-41




60-987
Bottom

CAPITOL


60 SERIES BALANCE ACCESSORIES

60 SERIES OTHER COMBINATIONS




60-507
Top

Suffix
-43




60-503
Bottom




60-563
Top

Suffix
-44




60-587
Bottom




60-508
Top

Suffix
-45




60-502
Bottom



60-591
Top


Suffix
-46




60-590
Bottom

CAPITOL


TOP BRACKETS




60-568
SWS




60-919
OLD SECURITY




60-907
SILVER LINE




60-933




60-903
ROLLYSON




60-595
PAN AM




60-591
CAPITOL




60-506
CAPITOL




60-569
ROLLYSON




900-15343
WEATHERVANE




900-10269
BELLVIEW




60-560
ACORN



60-578
BELLHOUSE




60-510
CROSSLY




60-511
IDA

60 SERIES BALANCE ACCESSORIES


TOP BRACKETS




Part #	Color
60-507	White
60-507B	Black




60-936
YALE OGRON




60-916
CAPITOL




60-508




60-901
CROSSLY




60-563
JONES




60-905
NEW SECURITY




60-513
GENERAL BRONZE




60-513B
Body Only




60-592
Metal Toggle. Used with 60-513B




60-575
PAN AM




60-509
WT INDUSTRIES



60-583
DARYL




60-586
DARYL




60-562
SWS


BOTTOM BRACKETS




60-594




60-904
ROLLYSON




60-908
SILVER LINE




60-576
PAN AM




60-504
CROSSLY




900-15344
WEATHERVANE




60-902
CROSSLY



60-505
Must be installed with screw
20-046 at time of installation.
GENERAL BRONZE




60-516
ROLLYSON




60-596
PAN AM

60 SERIES BALANCE ACCESSORIES


BOTTOM BRACKETS




60-500
CAPITOL/WT INDUSTRIES




60-5011
Nylon
UNIQUE




60-587
SEASONALL




60-501
GENERAL BRONZE




60-503




60-590
CAPITOL




60-598
FIBERLUX




60-564
JONES




60-909
No Longer Available. Use: 60-503
CAPITOL




60-597




60-502
SEASONALL




60-915
CAPITOL




60-943
Nylon
ALCAN




60-980
Winged




60-930
PINO




60-922B




60-561
ACORN



60-512
IDA



60-593
Bottom Bracket




60-567
Bottom Bracket
BURCON


TERMINAL CLIP

STEEL RIVETS

PLASTIC TOP SASH GUIDES - In Order by Length




60-518




Part #	Description
60-514	3/32" Dia.
60-570	1/8" Dia., Heavy Duty
	5/8" Length



20-183
Rivet and Drive Screw Assy. Used
when no rivet tool is available.




60-912
Black
CAPITOL




60-616
PAN AM

60 SERIES BALANCE ACCESSORIES


PLASTIC TOP SASH GUIDES - In Order by Length




60-619
LH & RH Set
PAN AM




900-6912
White Nylon
HARCAR




60-632
KING




60-630
CAPITOL




60-621



900-9500P
White Nylon
SECURITY




60-620
Pair
CROSSLY




Part #	Color
900-5550A	Natural
900-5550BA	Black


Set
YALE OGRON




900-6758
Nylon Sash Guide




60-640
Nylon
GENERAL ALUMINUM/PAN AM




60-600
PENNCO




60-601
PENNCO




60-629




900-14149BA
Black LH & RH Set
BINNINGS




60-672
White
CAPITOL




60-643




900-18946
Black




900-10150
Nylon Sash Guide
LOOK




60-733
Black
GALLATIN/GAPCO



900-6799A
White LH & RH Set
GAPCO




60-727
Black
ALENCO




Part #	Hand
60-605	Shown
60-606	Opposite

Weatherstripping not included.
IDA









60-645





60-676BA
Black LH & RH Set

60 SERIES BALANCE ACCESSORIES



PLASTIC TOP SASH GUIDES - In Order by Length

**900-20578**White Nylon
LAWSON**900-15838X**Black Plastic
JORDAN**60-658****JORDAN****900-20576NS-SET**White LH & RH Set
LAWSON**60-651A**LH & RH Set
SUGAR CREEK**900-9963**



LH & RH Set

**60-732A**Nylon. Sold In Sets Only.
NU-AIRE



Part #	Color
60-602	White
60-602B	Black

**900-13531A**Black LH & RH Set
MANNIX**60-661**


Black

**900-10066****KINCO**

Part #	Color
60-935	White
60-935B	Black


LAWSON**900-10331**Black
MILLER**60-958**

Black Nylon






Part #	Hand	Color
900-13071LH	Shown	Black
900-13071RH	Opposite	Black
900-13071LW	Shown	White
900-13071RW	Opposite	White


Nylon

EFCO


Part #	Color
60-6004	White
60-6004BG	Beige

**VBP /GENERAL ALUMINUM
/ BETTER BILT****60-624**White
GRAHAM**60-653****CROSSLY****900-13061**


Black

**60-993**



Black

METAL INDUSTRIES**900-15768**

Black


**60-963**

Natural

**60-641****BINNINGS**



Part #	Color
60-957	Black
60-957W	White

LH & RH Set


YALE OGRON**900-1852**3/16" dia. hole. Hole center up
17/32" from bottom.

60 SERIES BALANCE ACCESSORIES


PLASTIC TOP SASH GUIDES - In Order by Length

**60-612**Hole center
up 9/16" from bottom.


Part #	Color
60-613	Natural
60-613B	Black

Hole center up 9/16" from bottom.
CROSSLY**900-19798**


White

**60-652A**


LH & RH Set

ALSCO/ANACONDA**60-618**


White

SEASONALL**900-10122**


Natural

KINCO**900-10122-OS**


Nylon

KINCO**60-646**

Black


BINNINGS

Part #	Color
900-16080	Black
900-16080W	White



HARCAR

Part #	Color
60-971	White
60-971B	Black


Nylon




Part #	Color
60-633	Natural
60-633B	Black

PGT 4000 SERIES**60-604****HOWMET****60-675**


White

ROLLYSON**60-666**

Black LH & RH Set


MANNIX**900-1855**

White Nylon




Part #	Hand
60-964LH	Shown
60-964RH	Opposite


White

**900-8990**


White

**60-962**


White

LAWSON**900-20577**


Nylon

SEASONSHIELD**900-11075**


White

BELLVIEW**60-648**



Black

KAWNEER/WIDING**900-15744**

Black



Part #	Color
60-657WH	White
60-657BL	Black
60-657BG	Beige
60-657BR	Brown


























FIBERLUX**60-622****REYNOLDS****60-647**

White

MILCO


60 SERIES BALANCE ACCESSORIES

PLASTIC TOP SASH GUIDES - In Order by Length




60 SERIES BALANCE ACCESSORIES


PLASTIC TOP SASH GUIDES - In Order by Length




900-15441B
Black




900-10067
Nylon Sash Guide



60-610
Black
ACORN




60-668
ALPINE




Part #	Color
60-603	White
60-603B	Black


CLEARVIEW




900-14356
White




900-1882B
Black
GRAHAM




60-623
Natural




60-684A
White RH & LH Set. RH Shown




Part #	Color
60-970W	White
60-970B	Black




60-5008
White
SILVER LINE




60-968W
JORDAN



900-13360
Black Face Guide
SWS




900-20266BL
Black Face Guide



2732P
NU-AIR


FACE GUIDE

METAL SASH GUIDES




Part #	Color
900-19990	White
900-19990B	Black

Nylon Face Guide




900-14964-A




Part #	Color
900-9500AW	White
900-9500AB	Bronze
900-9500AL	Aluminum


Aluminum
SECURITY




60-609
HOWARD




60-611




60-663
CAPITOL




900-10396



900-9250
Bronze
CAPITOL




60-608
CAPITOL




60-665
CROSSLY

60 SERIES BALANCE ACCESSORIES


SASH STOPS




60-607
CAPITOL




60-705
White Rubber
CAPITOL



60-6009W
White
PGT




60-721
Plastic




900-16788
YALE OGRON


TAKE OUT CLIPS




900-9400
Black
ACORN



Part #	Description
60-700	A=1/4"
60-708	A=5/16"




60-662
Plastic
PAN AM




60-701
Frame Guide
IDA


60 SERIES MISCELLANEOUS




900-14926WA
White LH & RH Anti-Draft
Plug Set.
SEASONALL




60-673
White Vent Clip Sash
Guides - Pair
ROLLYSON



60-515
Extender




60-674BA
Black Vent Clips - Pair
ROLLYSON




Part #	Color
60-664	White
60-664B	Black

Nylon Vent Bracket.
YALE OGRON




Part #	Hand
60-687RB	Shown
60-687LB	Opposite


Dust Cap. Black




60-906
3 Piece Balance Guide Assembly
LOUISIANA PACIFIC



60-614
Square Guide
WT INDUSTRIES



900-9401
Bottom Sash Cam
ACORN 3500 SERIES




59-81
Rivet Installation Tool

WINDOW BALANCE RIVET TOOLS

For Channel and Tube Balances "A Must for Repair and Assembly of Balance Brackets" (Tube & Channel)
Professional Results! Say Good-bye to Hammered Fingers! **FAST - EFFICIENT - COST EFFECTIVE**



RIVET CRIMPING PLIERS



59-1

Adjusts to accommodate both
tube and channel balances.

RIVET REMOVAL PLIERS



59-2



59-3

Replacement pin for
rivet removal pliers

For tube balances, simply line up pin with peened rivet and squeeze. Rivet will be pushed
out. For channel balances, grind or file rivet flush and then squeeze to remove rivet.